

	Hits	Search Text	DBs
1	732	425/392.ccls.	USPAT; US-PGPUB
2	2313	(Cr chrome) with (roller roll screw)	USPAT; US-PGPUB
3	2	1 and 2	USPAT; US-PGPUB
4	327	264/297.4,297.8.ccls.	USPAT; US-PGPUB
5	0	2 and 4	USPAT; US-PGPUB
6	4120	(cup container) with (rolling curling foling)	USPAT; US-PGPUB
7	33	2 and 6	USPAT; US-PGPUB
8	2382	(cup container) with (rolling curling foling)	EPO; JPO; DERWENT
9	3533	(Cr chrome) with (roller roll screw)	EPO; JPO; DERWENT
10	2	8 and 9	EPO; JPO; DERWENT
11	2081	(cup lip lid container) with (rolling curling foling)	EPO; JPO; DERWENT
12	2	11 and 9	EPO; JPO; DERWENT
13	1694	(lid lip) with (rolling curling foling)	USPAT; US-PGPUB
14	22	2 and 13	USPAT; US-PGPUB
15	4	14 not 7	USPAT; US-PGPUB

	Hits	Search Text	DBs
1	4099	(cr chrome chrom\$3) with (roll roller screw)	USPAT; US-PGPUB
2	73547	(cup container beaker) same (edge lid lip rim perimeter periphery brim brink) same (curl\$3 roll\$3 form\$3)	USPAT; US-PGPUB
3	141	1 and 2	USPAT; US-PGPUB
4	135122	425/\$.ccls. 264/\$.ccls.	USPAT; US-PGPUB
5	26	3 and 4	USPAT; US-PGPUB
6	18393	(plenum) with (air fluid heat)	USPAT; US-PGPUB
7	514	2 and 6	USPAT; US-PGPUB
8	30	4 and 7	USPAT; US-PGPUB

	Hits	Search Text	DBs
1	4	"6146949"	USPAT; US-PGPUB
2	1	"6164949"	USPAT; US-PGPUB
3	7	("3363283"   "3579737"   "3914102"   "3920373"   "4235579"   "4391768"   "5118277").PN.	USPAT
4	3	"2435579"	USPAT; US-PGPUB
5	17	"4235579"	USPAT; US-PGPUB
6	8	"4391768"	USPAT; US-PGPUB
7	1057	lip with rolling	USPAT; US-PGPUB
8	65529	425/\$.ccls.	USPAT; US-PGPUB
9	24	7 and 8	USPAT; US-PGPUB
10	114932	(heat\$3 temperature) same sensor	USPAT; US-PGPUB
11	0	9 and 10	USPAT; US-PGPUB
12	26	7 and 10	USPAT; US-PGPUB
13	261310	(control\$4) same sensor	USPAT; US-PGPUB
14	59	7 and 13	USPAT; US-PGPUB
15	94555	264/\$.ccls.	USPAT; US-PGPUB
16	134949	8 or 15	USPAT; US-PGPUB
17	2	14 and 16	USPAT; US-PGPUB
18	32341	(lip edge rim) with (curling rolling folding)	USPAT; US-PGPUB
19	950	16 and 18	USPAT; US-PGPUB
20	21	10 and 19	USPAT; US-PGPUB
21	40	13 and 19 not 20	USPAT; US-PGPUB
22	1	"6135754"	USPAT; US-PGPUB
23	3	("3192565"   "3914102"   "3920373").PN.	USPAT
24	8	"5118277"	USPAT; US-PGPUB

	Hits	Search Text	DBs
25	14	"4233579"	USPAT; US-PGPUB
26	17	"4235579"	USPAT; US-PGPUB
27	109902	(lip edge rim) with (curl\$4 rolling roll rolled fold folded folding)	USPAT; US-PGPUB
28	228221	(heat\$3 temperature) same (sensor signal)	USPAT; US-PGPUB
29	228	27 same 28	USPAT; US-PGPUB
30	14	16 and 29	USPAT; US-PGPUB

	Hits	Search Text	DBs
1	2976	(lip rim) with (rolling curling)	USPAT; US-PGPUB
2	85	1 same screw	USPAT; US-PGPUB
3	2480	(chrome cr) with (roll roller screw)	USPAT; US-PGPUB
4	0	2 and 3	USPAT; US-PGPUB
5	135091	425/\$.ccls. 264/\$.ccls.	USPAT; US-PGPUB
6	7	5 and 6	USPAT; US-PGPUB
7	1474	(lip rim) with (rolling curling)	EPO; JPO; DERWENT
8	3533	(chrome cr) with (roll roller screw)	EPO; JPO; DERWENT
9	0	8 and 9	EPO; JPO; DERWENT
10	65277	(curling rolling) with (screw roll roller)	EPO; JPO; DERWENT
11	1062	11 same (chrome Cr)	EPO; JPO; DERWENT
12	1062	11 and 12	EPO; JPO; DERWENT
13	361603	B29C\$	EPO; JPO; DERWENT
14	0	13 and 14	EPO; JPO; DERWENT
15	1	12 same (cup container)	EPO; JPO; DERWENT
16	29	1 and 3	USPAT; US-PGPUB
17	291	nest\$3 with (brush jet)	USPAT; US-PGPUB
18	9	6 and 19	USPAT; US-PGPUB
19	26	((cup container) with nest\$3) same jet	USPAT; US-PGPUB
20	6	3,584,431	USPAT; US-PGPUB